REMARKS

Claims 1-7 are pending.

Claim 7 has been rejected under 35 U.S.C. 112, second paragraph, as being indefinite.

The Examiner takes the position that the recitation relating to the second wire connection unit is

unclear.

Claim 7, as amended, recites a second wire connection unit for transmitting the data read

out from said second memory to said second data processing apparatus after said second wireless

connection unit completes storing the data into said memory.

Accordingly, the amendment clarifies the claimed language.

Claim 1-7 have been rejected under 35 U.S.C. 102(e) as being anticipated by Kinemura.

Anticipation, under 35 U.S.C. § 102, requires that each element of a claim in issue be

found, either expressly described or under principles of inherency, in a single prior art reference.

Kalman v. Kimberly-Clark Corp., 713 F.2d 760, 218 USPO 781 (Fed. Cir. 1983); Richardson v.

Suzuki Motor Co., 868 F.2d 1226, 9 USPQ2d 1920 (Fed. Cir. 1989) cert. denied, 110 S.Ct. 154

(1989). The term "anticipation," in the sense of 35 U.S.C. 102, has acquired the accepted

definition meaning "the disclosure in the prior art of a thing substantially identical with the

claimed invention." In re Schaumann, 572 F.2d 312, 197 USPQ 5 (CCPA 1978).

As demonstrated below, claims 1 and 7, as amended, are clearly defined over the

reference.

In particular, claim 1, as amended, recites a communication assisting apparatus for

mediating data transfer between a first data processing apparatus and a second data processing

apparatus, comprising:

a first connection unit connected by wire with said first data processing apparatus, said

first connection unit receiving data from said first data processing apparatus;

a memory for storing therein the data received by said first connection unit; and

a second connection unit connected by wireless with said second data processing

apparatus, said second connection unit transmitting the data read out from said memory to said

second data processing apparatus.

The claim specifies that the second connection unit starts sending data stored in said

memory after said first connection unit completes receiving the data and storing the data into

said memory.

The Examiner contend that the second connection unit is described in col. 3, lines 50-60

of Kinemura.

Considering the reference, Kinemura discloses CPU 4 that stores information to the

buffer 5.

However, Kinemura does not teach or suggest that the second connection unit (CPU 4)

starts sending data stored in the memory (buffer 5) to the second data processing unit (wirelessly

connected to the second connection unit) after the first connection unit completes receiving the

data from the first data processing apparatus connected by wire to the first connection unit and

storing the data to the memory, as claim 1 requires.

Claim 7, as amended, recites a communication system for performing data transfer a first

data processing apparatus and a second data processing apparatus, comprising:

a first communication assisting apparatus connected by wire with said first data

processing apparatus; and

a second communication assisting apparatus connected by wireless with said second data

processing apparatus,

wherein said first communication assisting apparatus comprises:

a first wire connection unit for receiving data from said first data processing apparatus;

a first memory for storing the data received by said first wire connection unit; and

a first wireless connection unit connected by wireless with said second communication

assisting apparatus, said first wireless connection unit transmitting the data read out from said

first memory to said second communication assisting apparatus, and

wherein said second communication assisting apparatus comprises:

a second wireless connection unit connected by wireless with said first communication

assisting apparatus, said second wireless connection unit receiving data from said first

communication assisting apparatus;

a second memory for storing the data received by said second wireless connection unit;

and

a second wire connection unit for transmitting the data read out from said second memory

to said second data processing apparatus after said second wireless connection unit completes

storing the data into said memory.

The Examiner considers personal computer 27a of Kinemura to correspond to the second

wire connection unit.

However, the reference does not disclose that the second wire connection unit of the

second communication assisting apparatus transmits data read from the memory to the second

data processing apparatus (connected wirelessly to the second communication assisting

apparatus) after the second wireless connection unit completes storing the data into the memory,

where the stored data are received by the second wireless connection unit from the first

communication assisting apparatus connected wirelessly with the second wireless connection

unit, as claim 7 requires.

Hence, Kinemura does not teach or suggest that data received from either a wired

connection function or a wireless connection function is stored to the buffer, and then,

transmitted to either a wireless connection function or a wired connection function.

Accordingly, claims 1 and 7 are clearly defined over Kinemura. Claims 2-6 depend from

claim 1, and are defined over the prior art at least for the reasons presented above in connection

with claim 1.

In view of the foregoing, and in summary, claims 1-7 are considered to be in condition

for allowance. Favorable reconsideration of this application, as amended, is respectfully

requested.

To the extent necessary, a petition for an extension of time under 37 C.F.R. 1.136 is

hereby made. Please charge any shortage in fees due in connection with the filing of this paper,

including extension of time fees, to Deposit Account 500417 and please credit any excess fees to

such deposit account.

Respectfully submitted,

McDERMOTT WILL & EMERY LLP

Please recognize our Customer No. 20277

as our correspondence address.

Alexander V. Yampolsky

Registration No. 36,324

600 13th Street, N.W. Washington, DC 20005-3096

Phone: 202.756.8000 AVY:apr

Facsimile: 202.756.8087

Date: November 9, 2007